

Unilumin

Unilumin

SMART POLE

TOGETHER,
FOR A BRIGHTER FUTURE



Smart Pole 2025

UNILUMIN GROUP CO., LTD

HQ Address: 112 Yongfu Rd., Qiaotou Village, Fuyong Town, Baoan District, Shenzhen 518103 China
Manufacturing Base: Unilumin Industrial Park , 6 North Lanjing Road Pingshan District, Shenzhen, China
TEL: +86-0755-29918999 | **FAX:** +86-0755-29912092 | **E-mail:** ledlighting@unilumin.com
www.unilumin.com | www.unilumin-lighting.com


The product designs and specifications are subject to change without prior notice.
All rights reserved, copy is prohibited without the permission of Unilmin Group Co., Ltd.

Unismart Pole Management Platform

With the largest professional R&D team in LED display industry with a national laboratory, Unilumin has developed a smart pole management system called that based on cloud platform and big data management. The UniSmart pole management platform can provide users with a better use experience and provide comprehensive multi-functional solutions such as intelligent lighting, monitoring, WiFi hotspots, and smart transportation. Each subsystem of the UniSmart pole management platform can work independently and also realize the linkage between subsystems through IoT, edge computing, and other technologies. It provides a standard HTTP AP interface, which is convenient for integrating other data platform information and can quickly customize the system according to user needs.





Platform Architecture



Smart city integrated infrastructure solution



Smart city solutions



Content

- The product images are only for reference
- Smart pole supports customization

Road Lighting




Landscape Lighting



Road Lighting







Road Lighting
Youth



Details



Color Options



White aluminium
RAL9006



Traffic white
RAL9016



Pearl dark grey
RAL9023



Grey Aluminium
RAL9007

Product Parameters

Height : 8m-12m

Power : 60W-300W



Application: Urban street, high way, bridge

Optional pole: Sliding groove pole and standard pole

Materials: Galvanizing steel with outdoor molding powder

Pole Model





Pole options



Road Lighting
Grace



Details



Color Options



White aluminium
RAL9006



Traffic white
RAL9016



Pearl dark grey
RAL9023



Grey Aluminium
RAL9007

Product Parameters

Height : 8m-12m


Power : 60W-300W

Application: Urban street, high way, bridge

Optional pole: Sliding groove pole and standard pole


Materials: Galvanizing steel with outdoor molding powder

Pole Model






Road Lighting
Elegance



Pole Model






Road Lighting
Vitality




Road Lighting
Soarwing






Road Lighting
Ardor




Road Lighting
Stellar






Road Lighting
Florescence



Road Lighting
Pursuit






Road Lighting
Sprout



Road Lighting
Pristine





Road Lighting
Nimbus



Details



Pole Model





Road Lighting
Flame



Road Lighting
Moonrise



Road Lighting
Rhythm



Road Lighting
Dysis



Road Lighting
Flourish




Road Lighting
Voyage



Road Lighting
Foresight



Road Lighting
Swings



Road Lighting
Garuda




Road Lighting
Skyline



Road Lighting
Silk



Road Lighting
Mermaid




Road Lighting
Eternity




Details



Pole Model





Road Lighting
Splendor




Road Lighting
Blossom






Road Lighting
Harmonizer



Road Lighting
Rainbow






Road Lighting
Phoenix



Road Lighting
Serenity



Road Lighting
Reed



Road Lighting
Olivia



Landscape Lighting




Landscape Lighting
Crescent




Details





Pole Model






Landscape Lighting
Elysian



Landscape Lighting
Wave






Landscape Lighting Multiverse



Details




Color Options




Product Parameters

Height : 4m-6m
 Power : 30W-120W
 Application: park, scenic spot, courtyard, square
 Optional pole: Sliding groove pole and standard pole
 Materials: Galvanizing steel with outdoor molding powder

Pole Model






Landscape Lighting
Velvet



Landscape Lighting
Flora



Landscape Lighting
Bending



Landscape Lighting
Castle



Villa

18W-85W, IP66
Robust die-casting aluminum
Multiple installation methods



Beta

15-80W, IP66
Robust die-casting aluminum
Height: 4-6m

